



DET NORSKE VERITAS

Certificate No  
**OSL-13-4684**

PRODUCT CERTIFICATE

Manufacturer:	<b>SKIPPER Electronics AS</b>
Manufacturer's order No.:	
Purchaser:	<b>TBD</b>
Purchaser's order No.:	
The product is intended for	
Yard:	<b>( TBD )</b>
Yard No.:	
Name of vessel:	<b>" "</b>
DNV Id. No.:	<b>P261.1C</b>
THIS IS TO CERTIFY:	
that the product:	<b>Bottom Penetration for Echo Sounder, Sonar or Log</b>
Type designation:	<b>SB-60-SA___, DB-60-SA___, SB-100-SA__X_, DB-100-SB___, ETNSJB/ETNSLB-100mm___</b>
Intended purpose:	<b>The gate valve may be used in conjunction with installation of speed log or echo sounder</b>
Serial No(s):	<b>13384</b>
Has been built and tested in accordance with the relevant requirements of:	
DNV Rules for Classification:	<input checked="" type="checkbox"/> Ships <input checked="" type="checkbox"/> HSLC <input type="checkbox"/> Naval <input checked="" type="checkbox"/> Offshore
	<input type="checkbox"/> Other standards:

Remarks (if more than one line, use page 2):

The product was marked: **NV-OSL-13-4684**

On: **Gate Valve**

This field is only to be filled in when the certification is based on a Manufacturing Survey Arrangement (MSA).

The undersigned manufacturer declares that the product/system has been built and tested in accordance with the specification/standard stated above and the conditions referred to in

Manufacturing Survey Arrangement No: **R-2164**

Quality System Certificate No: **TI 151 ISO 9001:2008**

For Manufacturer:

Place: **Oslo**

Date: **12.12.2013**

**Anders Karlstad**  
Product Technician

This Certificate is only valid when signed by a DNV surveyor.

For **Det Norske Veritas AS**

Place:

Date:

**Håkon Karlsen**  
Surveyor

Technical data:

---

Remarks:

**The valve housing has been subjected to a hydrostatic pressure test, and the valve assembly to a seat leakage test to 5 bar. Holding time 5 minutes.**

---

Marking and certificate numbers for the different parts:

---

Drawings with dates of approval and/or type approval certificate number:

**DNV S-6000**

---